




teco

PRODUCT DESCRIPTION



OUTDOOR WALL MOUNTING CABINET

Model: **AW-W – S.15.60.60.12U/0.340VeDC.43**


Art. **TEKO 1116.00.00.000**

TECO OUTDOOR WALL MOUNTING CABINET

Outdoor wall mounting cabinet «**AW-W – S.15.60.60.12U/0.340VeDC.43**» - is universal cabinet with useful space 12U with DC air ventilation and AC heater. Unique design and wide range of climate control solutions allows operating in harsh environments with a temperature range -40C - + 55C. This cabinet are simple in setup and installation.




Outdoor cabinet AW-W – S.15.60.60.12U/0.340VeDC.43 benefits:

	▪ Cabinet dimensions 792×600×600 H×W×D ▪ 12U useful space. ▪ Front and rear vertical 19” racks for the equipment mounting. ▪ Type of walls – single wall, thickness of insulation – 10 mm. ▪ Anti-Vandal case.
Material	▪ Welded case. ▪ Walls – steel, thickness 1,5 mm.
Door	▪ One door. ▪ Locking system — two-point.
Coating	▪ Semi-textured outdoor powder-coat paint RAL 7035, 10 years warranty.
Temperature conditions	▪ -40°C to +55°C.
Cooling system	▪ Ventilation 48 VDC and heater 220 VAC
Protection rating	▪ IP 65
Shipment method	Assembled



↑ A

A



Total		
Dimensions, Height × Width × Depth	mm	792×600×600
Degree of protection	IP	65
Voltage	V	220 AC/48 DC
Door	pcs	1
Lock	pcs	1
Insulation	Type	Alufoam
Thickness of insulation	mm	10
Cooling system		
Air ventilation	set	1
Control unit	-	Thermostat
Rated voltage	V	48 DC
Rated current	A	1
Air flow	m³/h	340
AC heater	pcs	1
Control unit	-	Thermostat
Rated voltage	V	220 AC
Heating capacity	W	400
Equipment		
19" rail for power supply and customer's equipment	set	1
MCB 20A 2P	pcs	1
MCB 10A 1P	pcs	1
MCB 6A 1P	pcs	1
RCD 16A, 30mA	pcs	1
Service socket 16A	pcs	1
Thermostat	pcs	2
Door open sensor	pcs	1
Pole hanging bracket	pcs	1
Cable entries from top	type x pcs	PG9 x 3
		PG11 x 7
		PG16 x 5
		PG16 x 2
Other information		
Application	-	Outdoor
Mounting Method	-	Pipe/Wall

teco

📍 Zaliutynska Str., 10, Kharkiv, Ukraine, 61177

☎ tel. +38 (057) 341-45-41
tel. +38 (057) 372-10-42
fax +38 (057) 341-60-30

🌐 teco-ua.com

✉ info@teco-ua.com